

DATE October 27, 2020

INVITATION TO TENDER NO. PS20200899
CONTRACTOR FOR WINONA PARK PLAYGROUND REPLACEMENT

ADDENDUM NO.2

RE: REVISED EDITS ON VARIOUS SECTIONS (Please refer to them as the most current version)

REVISED WITH (new edits are captured in RED below):

- Update text for line item 4.2 Asphalt Paving
 - Including supply and installation of asphalt paving and base materials for new paths as per detail Ld-02/L2.2 and specification(s).
- Update text for line item 6.1 Owner Supplied Boulders
 - Including preparation and installation of owner supplied landscape boulders (supplied by VPB from Kent Yard) contractor to deliver to site. Price to include pick-up of materials at off-site location (Kent Yard) and delivery to site.
- Delete line item 6.6 Boulders
- Separately Tendered Price
 - Line item 3.1 - Update text
Including supply and installation of 250mm of growing medium as per specification(s).
- Alternate Prices (text has been updated; refer to attachment)

This addendum must be completed, and attached to your Application form.

NAME OF VENDOR

SIGNATURE OF AUTHORIZED SIGNATORY

DATE

Jason Lo
Contracting Specialist

INVITATION TO TENDER NO. PS20200899
CONTRACTOR FOR WINONA PARK PLAYGROUND REPLACEMENT

Alternate Prices

These alternate prices will be used to change the scope of the Work upon written instruction from the City. The alternate prices will be applied in accordance with the Contract. The prices should include (i) all labour, material and other costs, (ii) overhead and profit, (iii) PST, and (iv) all other taxes, duties, assessments, charges and fees, *except for GST*.

Description		Price Change to Contract Price	
		Value to Add to Contract Price (including PST)	Value to Deduct from Contract Price (including PST)
1.	Replace sod (including 250mm depth of growing medium) with hydroseeded lawn (including 150mm depth of growing medium, supply and install) - Refer to specifications (see attached)	\$	\$
2.	Replace Lonicera pileata (including 450mm depth of growing medium and 50mm depth of mulch; as shown on L1.4 and Ld-03/L2.1) with hydroseeded lawn (including 150mm depth of growing medium, supply and install) - Refer to specifications (see attached)	\$	\$